

Red Hot Chili Peppers

TAB 44

$$f$$

7

$\overline{-10-10-10-10-10-10-10-10-10-10-10-10-10-10}$ | $\overline{12-12-12-12-10-10-10-10}$ | $\overline{13-13-13-13-12-12-12-12}$

11

-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8-	-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8-8-	-12-12-12-12-12-12-12-12-12-12-12-12-12-12-12-12-
-----------------------------------	-----------------------------------	---

$\overline{-13-13-13-13-13-13-13-13-13-13-13-13-13-13} \mid 10 \mid -10-10-10-10-10-10-10-10-10-10-10-10-10-10$

[illegible][illegible][illegible][illegible]

Chorus 1

[illegible]

Diagram illustrating a 32-bit bus structure. The bus is divided into two 16-bit segments. The left segment is labeled with 16 '-10' values. The right segment is labeled with 16 '-10' values. Below each segment, there are four horizontal bars representing data paths, with vertical lines connecting them to the bus segments.

Verse 2


The diagram illustrates the structure of the 1000-bit input vector x . It is divided into two main sections: x_1 and x_2 . x_1 consists of 10 groups of 13 bits each, totaling 130 bits. x_2 consists of 10 groups of 10 bits each, totaling 100 bits. The groups are separated by vertical lines, and the total length is indicated as 1000 bits.

[illegible]


Chorus 2

[illegible]


53




55




57




59




61




63




65

**Interlude**


67




69




71



73


**Verse 3**

75




4


77




80




82




84



87




89




Chorus 3


91




93




95




97



99




101




6


130




132



135



137



141

